ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 603 (2000) 264–265

Journal of Organometallic Chemistry

Contents of Volume 603

Special issue: New Directions in Catalytic Asymmetric Synthesis

Foreword
R.D. Adams, J.- P. Genêt 1

Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry
N.-F.K. Kaiser, U. Bremberg, M. Larhed, C. Moberg, A. Hallberg 2

Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands
H. Kodama, J. Ito, K. Hori, T. Ohta, I. Furukawa 6

A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins
S.K. Bertilsson, P.G. Andersson 13

Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles
R. Kuwano, H. Miyazaki, Y. Ito 18

Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine
K. Yonehara, K. Mori, T. Hashizume, K.-G. Chung, K. Ohe , S. Uemura 40

Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex
A. El-Qisairi, P.M. Henry 50

Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study
J. Holz, R. Kadyrov, S. Borns, D. Heller, A. Börner 61

Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation
W.A. Herrmann, J.J. Haider, J. Fridgen, G.M. Lobmaier, M. Spiegler 69

Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts
J. Jamis, J.R. Anderson, R.S. Dickson, E.M. Campi, W.R. Jackson 80

Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(\overline{OCH_2CH_2N{=}C}\text{–}Ph)_2$ and $Cl(PPh_3)Pd(\overline{OCH_2CH_2N{=}C}\text{–}C_6H_4)$
I.P. Smoliakova, K.J. Keuseman, D.C. Haagenson, D.M. Wellmann, P.B. Colligan, N.A. Kataeva, A.V. Churakov, L.G. Kuz'mina, V.V. Dunina 86

Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides
L.J.P. Martyn, S. Pandiaraju, A.K. Yudin 98

Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand
M.T. Reetz, S. Sostmann 105

The application of Pd-complexes of diphenylphosphinoferrocenyloxazoline ligands to catalytic enantioselective allylic amination
Y.M. Malone, P.J. Guiry 110

A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation
A. Tillack, C. Koy, D. Michalik, C. Fischer 116

Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors
A. Aeby, A. Gsponer, M. Sperrle, G. Consiglio 122

Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation
D. Blanc, V. Ratovelomanana-Vidal, J.-P. Gillet, J.-P. Genêt 128

Conference Calendar 131
Author Index of Volume 603, Issue 1 133

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 603 (2000) 264–265

Journal of Organometallic Chemistry

Contents of Volume 603

Special issue: New Directions in Catalytic Asymmetric Synthesis

Foreword
R.D. Adams, J.- P. Genêt 1

Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry
N.-F.K. Kaiser, U. Bremberg, M. Larhed, C. Moberg, A. Hallberg 2

Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands
H. Kodama, J. Ito, K. Hori, T. Ohta, I. Furukawa 6

A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins
S.K. Bertilsson, P.G. Andersson 13

Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles
R. Kuwano, H. Miyazaki, Y. Ito 18

Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine
K. Yonehara, K. Mori, T. Hashizume, K.-G. Chung, K. Ohe , S. Uemura 40

Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex
A. El-Qisairi, P.M. Henry 50

Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study
J. Holz, R. Kadyrov, S. Borns, D. Heller, A. Börner 61

Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation
W.A. Herrmann, J.J. Haider, J. Fridgen, G.M. Lobmaier, M. Spiegler 69

Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts
J. Jamis, J.R. Anderson, R.S. Dickson, E.M. Campi, W.R. Jackson 80

Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(\overline{OCH_2CH_2N{=}C}\text{–}Ph)_2$ and $Cl(PPh_3)Pd(\overline{OCH_2CH_2N{=}C}\text{–}C_6H_4)$
I.P. Smoliakova, K.J. Keuseman, D.C. Haagenson, D.M. Wellmann, P.B. Colligan, N.A. Kataeva, A.V. Churakov, L.G. Kuz'mina, V.V. Dunina 86

Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides
L.J.P. Martyn, S. Pandiaraju, A.K. Yudin 98

Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand
M.T. Reetz, S. Sostmann 105

The application of Pd-complexes of diphenylphosphinoferrocenyloxazoline ligands to catalytic enantioselective allylic amination
Y.M. Malone, P.J. Guiry 110

A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation
A. Tillack, C. Koy, D. Michalik, C. Fischer 116

Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors
A. Aeby, A. Gsponer, M. Sperrle, G. Consiglio 122

Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation
D. Blanc, V. Ratovelomanana-Vidal, J.-P. Gillet, J.-P. Genêt 128

Conference Calendar 131
Author Index of Volume 603, Issue 1 133

Regular Papers

Synthesis and molecular structure of $[Fe_3(\mu_2\text{-}H)(\mu_3\text{-}Te)(CO)_9][Cp^*_2Nb(CO)_2]$ ($Cp^* = C_5Me_5$, C_5Me_4Et)
H. Brunner, J. Wachter, R. Wanninger, M. Zabel 135

Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine
V.V. Dunina, O.N. Gorunova, E.B. Averina, Y.K. Grishin, L.G. Kuz'mina, J.A.K. Howard 138

Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes
Y.-J. Kim, Y.-S. Kwak, S.-W. Lee 152

Bridged aminotroponiminate complexes of lutetium
P.W. Roesky 161

Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)\text{-}Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2{\cdot}C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$A.I. Sizov, T.M. Zvukova, B.M. Bulychev, V.K. Belsky 167

New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3{-}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane N. Arroyo, F. Gómez-de la Torre, F.A. Jalón, B.R. Manzano, B. Moreno-Lara, A.M. Rodríguez 174

The first structurally characterised oligosilylmagnesium compound
J.D. Farwell, M.F. Lappert, C. Marschner, C. Strissel, T.D. Tilley 185

Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates
H. Chen, M.-Z. Deng 189

Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V)
A. Antiñolo, F. Carrillo-Hermosilla, J. Fernández-Baeza, S. García-Yuste, A. Otero, E. Palomares, A.M. Rodriguez, L.F. Sánchez-Barba 194

Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors
L. de Araújo Felix, C.A.F. de Oliveira, R.K. Kross, C. Peppe, M.A. Brown, D.G. Tuck, M.Z. Hernandes, E. Longo, F.R. Sensato . . . 203

Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination
P. Doufou, K.A. Abboud, J.M. Boncella 213

Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide
A.F. Patrocínio, P.J.S. Moran 220

Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight
R. Salcedo, L.E. Sansores, A. Martínez, L. Alexandrova, M. García 225

Synthesis and resolution of a new P-chiral hydroxy phosphine
J. Albert, J.M. Cadena, S. Delgado, J. Granell 235

Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions
J. Akisanya, T.N. Danks, R.N. Garman 240

Communication

Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers
H.I. Beerens, P. Wijkens, J.T.B.H. Jastrzebski, F. Verpoort, L. Verdonck, G. van Koten 244

Notes

Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes
X. Huang, P. Zhong, M.-P. Guo 249

Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system
Ç. Bozkurt 252

Conference Calendar 256
Author Index of Volume 603 258
Subject Index of Volume 603 259
Contents of Volume 603 264